

S·K

Lectrolite

TOOLS

Designers and manufacturers
of quality wrenches since 1923

THE SHERMAN-KLOVE CO.

Chicago 32, Illinois

LECTROLITE CORPORATION

Defiance, Ohio

CONTENTS

Socket Wrench Sets	1, 2, 3, 4, 5, 6, 7,
Individual Sockets and Handles	8, 9, 10, 11
Tool Boxes	12, 13
Socket Wrench Displays	14, 15
Forged Alloy Wrench Displays	16, 17
Alloy Box End Wrench Sets	18
Alloy Combination Wrench Sets	19
Alloy Open End Wrench Sets	20, 21
Complete Workshop Set	21
Individual Alloy Wrenches	22
Adjustable Wrenches, Pliers and Pipe Wrenches	23
Automotive Tools and Carbon Wrench Sets	24, 25
S-K Ratchet Maintenance & Operation	Back Cover

Warranty

All S-K/Lectrolite Tools are guaranteed against defective material or workmanship. Any tool showing a defect in material or workmanship will be repaired or replaced free of charge upon inspection by the Company. Tools abused or worn out from excessive use will not be replaced.

We reserve the right to alter specifications on any items without notice.

THE SHERMAN-KLOVE CO.
CHICAGO 32, ILLINOIS

LECTROLITE CORPORATION
DEFIANCE, OHIO



1/4" DRIVE SETS

These fine sets are invaluable time-savers for the mechanic who must make close adjustments of small bolts and nuts. Ideal for auto and aircraft mechanics, radio, TV and appliance repairmen.



SET No. 4907 (7 pcs.)

7 Deep Sockets, 1/4" square drive, all 6 point. Packed in steel case, 2" high; 4" long.

No.	Description	No.	Description
41908	1/4" Deep Skt.	41912	3/8" Deep Skt.
41909	9/32" Deep Skt.	41914	7/16" Deep Skt.
41910	5/16" Deep Skt.	41916	1/2" Deep Skt.
41911	11/32" Deep Skt.		

Std. Pkg. 1

Shipping Weight Each, .6 lbs.



BASIC SET No. 4910 (10 pcs.)

9 Standard 6 point Sockets and 1 Spinner Handle, all 1/4" drive. Packed in steel case, baked enamel finish: 1" high; 6 1/4" long; 2" wide.

No.	Description	No.	Description
40906	3/16" 6 pt. Skt.	40911	11/32" 6 pt. Skt.
40907	7/32" 6 pt. Skt.	40912	3/8" 6 pt. Skt.
40908	1/4" 6 pt. Skt.	40914	7/16" 6 pt. Skt.
40909	9/32" 6 pt. Skt.	40916	1/2" 6 pt. Skt.
40910	5/16" 6 pt. Skt.	40954	Spinner Handle

Std. Pkg. 1

Shipping Weight Each, .8 lbs.



INTERMEDIATE SET No. 4916 (16 pcs.)

11 Standard Sockets, 1 Ratchet and 4 Accessories, all 1/4" drive. Packed in steel case, baked enamel finish: 1" high; 6 3/8" long; 2 1/2" wide.

No.	Description	No.	Description
40906	3/16" 6 pt. Skt.	40916	1/2" 6 pt. Skt.
40907	7/32" 6 pt. Skt.	40988	1/4" 8 pt. Skt.
40908	1/4" 6 pt. Skt.	40900	3/16" 8 pt. Skt.
40909	9/32" 6 pt. Skt.	40950	Cross Bar
40910	5/16" 6 pt. Skt.	40953	Flex Handle
40911	11/32" 6 pt. Skt.	40961	2" Extension
40912	3/8" 6 pt. Skt.	40962	6" Extension
40914	7/16" 6 pt. Skt.	40970	Ratchet

Std. Pkg. 1

Shipping Weight Each, 1.6 lbs.



MASTER SET No. 4921 (21 pcs.)

9 Standard Sockets and 7 Deep Sockets (all 6 pt.), 1 Ratchet and 4 Accessories, all 1/4" drive. Packed in steel case, baked enamel finish: 1 1/8" high, 10 1/2" long, 2 1/2" wide.

No.	Description	No.	Description
40906	3/16" Std. Skt.	41910	5/16" Deep Skt.
40907	7/32" Std. Skt.	41911	11/32" Deep Skt.
40908	1/4" Std. Skt.	41912	3/8" Deep Skt.
40909	9/32" Std. Skt.	41914	7/16" Deep Skt.
40910	5/16" Std. Skt.	41916	1/2" Deep Skt.
40911	11/32" Std. Skt.	40954	Spinner Handle
40912	3/8" Std. Skt.	40961	2" Extension
40914	7/16" Std. Skt.	40962	6" Extension
40916	1/2" Std. Skt.	40970	Ratchet
41908	1/4" Deep Skt.	40990	Universal Joint
41909	9/32" Deep Skt.		

Std. Pkg. 1

Shipping Weight Each, 2.3 lbs.



3/8" DRIVE SETS



These sets combine the 3/8" square drive sockets and handles popular everywhere among automotive and aircraft mechanics, factory maintenance men, appliance repairmen, tradesmen, farmers and hobbyists.




BASIC SET No. 4511 (11 pcs.)

7 Standard Sockets, 1 Ratchet and 3 Accessories, all 3/8" drive. Packed in steel case, baked enamel finish: 1 3/8" high; 8 1/8" long; 3 3/8" wide.

No.	Description	No.	Description
45112	3/8" 6 pt. Skt.	45124	3/4" 12 pt. Skt.
45114	7/16" 6 pt. Skt.	45150	Cross Bar
45116	1/2" 6 pt. Skt.	45153	Flex Handle
45118	9/16" 6 pt. Skt.	45160	3" Extension
45120	5/8" 12 pt. Skt.	45170	Ratchet
45122	1 1/16" 12 pt. Skt.		

Std. Pkg. 1

Shipping Weight Each, 2.7 lbs.




ALL-PURPOSE SET No. 4520 (20 pcs.)

7 Standard Sockets, 8 Deep Sockets, 1 Ratchet and 4 Accessories, all 3/8" square drive. Packed in steel case, baked enamel finish: 1 1/2" high; 15" long; 3" wide.

No.	Description	No.	Description
45112	3/8" Std. 6 pt. Skt.	40418	3/16" Deep 6 pt. Skt.
45114	7/16" Std. 6 pt. Skt.	40420	5/8" Deep 6 pt. Skt.
45116	1/2" Std. 6 pt. Skt.	40422	1 1/16" Deep 6 pt. Skt.
45118	9/16" Std. 6 pt. Skt.	40424	3/4" Deep 6 pt. Skt.
45120	5/8" Std. 12 pt. Skt.	40426	1 3/16" Deep 6 pt. Skt.
45122	1 1/16" Std. 12 pt. Skt.	45150	Cross Bar
45124	3/4" Std. 12 pt. Skt.	45153	Flex Handle
40412	3/8" Deep 6 pt. Skt.	45160	3" Extension
40414	7/16" Deep 6 pt. Skt.	45170	Ratchet
40416	1/2" Deep 6 pt. Skt.	45190	Universal Joint

Std. Pkg. 1

Shipping Weight Each, 5.0 lbs.



INTERMEDIATE SET No. 4514 (14 pcs.)

7 Standard Sockets, 1 Ratchet, 6 Accessories, all 3/8" drive. Packed in steel case, baked enamel finish: 1 1/2" high; 17 3/8" long; 4 3/8" wide.

No.	Description	No.	Description
45112	3/8" 6 pt. Skt.	45150	Cross Bar
45114	7/16" 6 pt. Skt.	45153	Flex Handle
45116	1/2" 6 pt. Skt.	45161	6" Extension
45118	9/16" 6 pt. Skt.	45162	12" Extension
45120	5/8" 12 pt. Skt.	45170	Ratchet
45122	1 1/16" 12 pt. Skt.	45181	Speeder
45124	3/4" 12 pt. Skt.	45190	Universal Joint

Std. Pkg. 1

Shipping Weight Each, 6.0 lbs.



3/8" DRIVE SETS



On modern machines and equipment, many virtually inaccessible nuts and bolts make the Flex Sockets and thin, straight-wall Deep Sockets in these sets absolute necessities. Spark plugs and recessed nuts and bolts are everyday uses for deep sockets.


MASTER SET No. 4528 (28 pcs.)

7 Standard Sockets, 8 Deep Sockets, 5 Flex Sockets, 1 Ratchet and 7 Accessories, all 3/8" square drive. Packed in steel case, baked enamel finish: 1 1/2" high; 17 3/8" long; 4 7/8" wide.

No.	Description	No.	Description
40412	3/8" Deep 6 pt. Skt.	45114	1/16" Std. 6 pt. Skt.
40414	1/16" Deep 6 pt. Skt.	45116	1/2" Std. 6 pt. Skt.
40416	1/2" Deep 6 pt. Skt.	45118	9/16" Std. 6 pt. Skt.
40418	9/16" Deep 6 pt. Skt.	45120	5/8" Std. 12 pt. Skt.
40420	5/8" Deep 6 pt. Skt.	45122	1 1/16" Std. 12 pt. Skt.
40422	1 1/16" Deep 6 pt. Skt.	45124	3/4" Std. 12 pt. Skt.
40424	3/4" Deep 6 pt. Skt.	45150	Cross Bar
40426	1 3/16" Deep 6 pt. Skt.	45153	Flex Handle
40614	1/16" Flex 6 pt. Skt.	45160	3" Extension
40616	1/2" Flex 6 pt. Skt.	45161	6" Extension
40618	9/16" Flex 6 pt. Skt.	45162	12" Extension
40620	5/8" Flex 6 pt. Skt.	45170	Ratchet
40622	1 1/16" Flex 6 pt. Skt.	45181	Speeder
45112	3/8" Std. 6 pt. Skt.	45190	Universal Joint

Std. Pkg. 1

Shipping Weight Each, 9.0 lbs.



SET No. 4607 (7 pcs.)

7 Flex Sockets, 3/8" square drive, all 6 point. Packed in steel case, 1 1/4" high; 6" long; 2" wide.

No.	Description	No.	Description
40612	3/8" Flex Skt.	40620	5/8" Flex Skt.
40614	1/16" Flex Skt.	40622	1 1/16" Flex Skt.
40616	1/2" Flex Skt.	40624	3/4" Flex Skt.
40618	9/16" Flex Skt.		

Std. Pkg. 1

Shipping Weight Each, 1.2 lbs.



SET No. 4408 (8 pcs.)

8 Deep Sockets, 3/8" square drive, all 6 point. Packed in steel case, 1 1/4" high; 7" long; 2 3/4" wide.


No.	Description	No.	Description
40412	3/8" Deep Skt.	40420	5/8" Deep Skt.
40414	1/16" Deep Skt.	40422	1 1/16" Deep Skt.
40416	1/2" Deep Skt.	40424	3/4" Deep Skt.
40418	9/16" Deep Skt.	40426	1 3/16" Deep Skt.

Std. Pkg. 1

Shipping Weight Each, 2.0 lbs.



1/2" DRIVE SETS




INTERMEDIATE SET No. 4116 (16 pcs.)

13 Standard Sockets, 1 Ratchet and 2 Accessories, all 1/2" drive. Packed in steel case, baked enamel finish: 1 7/8" high; 17" long; 3 5/8" wide.

No.	Description	No.	Description
40114	7/16" Std. 6 pt. Skt.	40130	1 5/16" Std. 12 pt. Skt.
40116	7/8" Std. 6 pt. Skt.	40132	1" Std. 12 pt. Skt.
40118	9/16" Std. 6 pt. Skt.	40134	1 1/16" Std. 12 pt. Skt.
40120	5/8" Std. 12 pt. Skt.	40136	1 1/8" Std. 12 pt. Skt.
40122	11/16" Std. 12 pt. Skt.	40140	1 1/4" Std. 12 pt. Skt.
40124	3/4" Std. 12 pt. Skt.	40161	5" Extension
40126	13/16" Std. 12 pt. Skt.	41653	17" Flex Handle
40128	7/8" Std. 12 pt. Skt.	42470	Ratchet

Std. Pkg. 1

Shipping Weight Each, 10 lbs.




ALL-PURPOSE SET No. 4118 (18 pcs.)

12 Standard Sockets, 1 Ratchet and 5 Accessories, all 1/2" drive. Packed in steel case, baked enamel finish: 1 3/4" high; 18 5/8" long; 6 1/4" wide.

No.	Description	No.	Description
40114	7/16" Std. 6 pt. Skt.	40132	1" Std. 12 pt. Skt.
40116	7/8" Std. 6 pt. Skt.	40134	1 1/16" Std. 12 pt. Skt.
40118	9/16" Std. 6 pt. Skt.	40136	1 1/8" Std. 12 pt. Skt.
40120	5/8" Std. 12 pt. Skt.	40152	Slide T Handle
40122	11/16" Std. 12 pt. Skt.	40161	5" Extension
40124	3/4" Std. 12 pt. Skt.	40162	10" Extension
40126	13/16" Std. 12 pt. Skt.	40181	Speeder Handle
40128	7/8" Std. 12 pt. Skt.	41653	5" Flex Handle
40130	1 5/16" Std. 12 pt. Skt.	42470	Ratchet

Std. Pkg. 1

Shipping Weight Each, 14 lbs.



SET No. 4808 (8 pcs.)

8 Deep Sockets, 1/2" drive. Packed in steel case, baked enamel finish: 1 1/2" high; 8 3/4" long; 3 3/4" wide.

No.	Description	No.	Description
40816	1/2" Deep 12 pt. Skt.	40824	3/4" Deep 12 pt. Skt.
40818	9/16" Deep 12 pt. Skt.	40826	13/16" Deep 12 pt. Skt.
40820	5/8" Deep 12 pt. Skt.	40828	7/8" Deep 12 pt. Skt.
40822	1 1/16" Deep 12 pt. Skt.	40830	1 5/16" Deep 12 pt. Skt.

Std. Pkg. 1

Shipping Weight Each, 4.3 lbs.



BASIC SET No. 4111 (11 pcs.)

9 Standard Sockets, 1 Reversible Ratchet and 1 Extension, all 1/2" drive. Packed in steel case, baked enamel finish: 1 7/8" high; 10 5/8" long; 3 3/8" wide.

No.	Description	No.	Description
40114	7/16" Std. 6 pt. Skt.	40126	1 3/16" Std. 12 pt. Skt.
40116	7/8" Std. 6 pt. Skt.	40128	7/8" Std. 12 pt. Skt.
40118	9/16" Std. 6 pt. Skt.	40130	1 5/16" Std. 12 pt. Skt.
40120	5/8" Std. 12 pt. Skt.	40161	5" Extension
40122	11/16" Std. 12 pt. Skt.	42470	Ratchet
40124	3/4" Std. 12 pt. Skt.		

Std. Pkg. 1

Shipping Weight Each, 4.8 lbs.



1/2" DRIVE SET



MASTER SET No. 4122 (22 pcs.)

14 standard sockets, 1 ratchet and 7 accessories, all 1/2" drive. Packed in heavy-duty steel box with full-size tote tray. Two full-length piano type hinges and tamper-proof hasp. Baked enamel finish: 8 3/4" high; 19" long; 7" wide.

No.	Description	No.	Description
40114	7/16" Std. 6 pt. Skt.	40134	1 1/16" Std. 12 pt. Skt.
40116	1/2" Std. 6 pt. Skt.	40136	1 1/8" Std. 12 pt. Skt.
40118	9/16" Std. 6 pt. Skt.	40140	1 1/4" Std. 12 pt. Skt.
40119	19/32" Std. 12 pt. Skt.	40152	Slide T Handle
40120	5/8" Std. 12 pt. Skt.	40160	2" Extension
40122	11/16" Std. 12 pt. Skt.	40161	5" Extension
40124	3/4" Std. 12 pt. Skt.	40162	10" Extension
40126	13/16" Std. 12 pt. Skt.	40181	Speeder Handle
40128	7/8" Std. 12 pt. Skt.	40190	Universal Joint
40130	15/16" Std. 12 pt. Skt.	41653	17" Flex Handle
40132	1" Std. 12 pt. Skt.	42470	Ratchet

Std. Pkg. 1

Shipping Weight Each, 22 lbs.



GENERAL-PURPOSE COMBINATION SET

No. 4151 (51 pcs.)

This fifty-one piece selection includes a wide range of standard sockets, ratchets, extensions, handles and universal joints. 1/4" drive set is packed in individual steel box. Complete set is packed in a very popular style metal box with full-size tote tray — ample space for many additional tools. Baked enamel finish: 9 1/2" high; 20" long; 8 1/2" wide.



DRIVE TOOLS (16 pcs.)

No.	Description	No.	Description
40906	3/16" 6 pt. Skt.	40916	1/2" 6 pt. Skt.
40907	1/8" 6 pt. Skt.	40988	1/4" 8 pt. Skt.
40908	1/4" 6 pt. Skt.	40900	5/16" 8 pt. Skt.
40909	9/32" 6 pt. Skt.	40950	Cross Bar
40910	5/16" 6 pt. Skt.	40953	Flex Handle
40911	11/32" 6 pt. Skt.	40961	2" Extension
40912	3/8" 6 pt. Skt.	40962	6" Extension
40914	7/16" 6 pt. Skt.	40970	Ratchet



DRIVE TOOLS (21 pcs.)


No.	Description	No.	Description
40114	7/16" 6 pt. Skt.	40134	1 1/16" 12 pt. Skt.
40116	1/2" 6 pt. Skt.	40136	1 1/8" 12 pt. Skt.
40118	9/16" 6 pt. Skt.	40140	1 1/4" 12 pt. Skt.
40119	19/32" 12 pt. Skt.	40160	2" Extension
40120	5/8" 12 pt. Skt.	40161	5" Extension
40122	11/16" 12 pt. Skt.	40162	10" Extension
40124	3/4" 12 pt. Skt.	40181	Speeder Handle
40126	13/16" 12 pt. Skt.	40190	Universal Joint
40128	7/8" 12 pt. Skt.	41653	17" Flex Handle
40130	15/16" 12 pt. Skt.	42470	Ratchet
40132	1" 12 pt. Skt.		



DRIVE TOOLS (14 pcs.)

No.	Description	No.	Description
45112	3/8" 6 pt. Skt.	45153	Flex Handle
45114	7/16" 6 pt. Skt.	45160	3" Extension
45116	1/2" 6 pt. Skt.	45161	6" Extension
45118	9/16" 6 pt. Skt.	45162	12" Extension
45120	5/8" 12 pt. Skt.	45170	Ratchet
45122	11/16" 12 pt. Skt.	45181	Speeder Handle
45124	3/4" 12 pt. Skt.	45190	Universal Joint

Shipping Weight Each, 31 lbs. No. 4151 set: Std. Pkg. 1.





3/4" DRIVE SETS



BASIC SET No. 4711 (11 pcs.)

Specially designed for heavy-duty truck, tractor and bus work, this popular assortment will serve the needs of the average mechanic. 9 Sockets, all 12 pt., and 2 Accessories. Packed in steel case, baked enamel finish: 2 1/2" high; 18 3/8" long; 5 1/2" wide.

No.	Description	No.	Description
47130	1 5/16" Skt.	47146	1 7/16" Skt.
47134	1 1/16" Skt.	47148	1 1/2" Skt.
47136	1 1/8" Skt.	47152	1 5/8" Skt.
47140	1 3/4" Skt.	47153	Slide T Handle
47142	1 5/16" Skt.	47161	8" Extension
47144	1 3/8" Skt.		

Std. Pkg. 1

Shipping Weight Each, 17 lbs.

SET No. 4711A (not shown)

Identical to set 4711 above, but with No. 47155 Flex Handle instead of No. 47153 Slide T.

Std. Pkg. 1

Shipping Weight Each, 16 lbs.



MASTER SET No. 4722 (22 pcs.)

A full-range set to answer the needs of mechanics servicing heavy duty truck, tractor, bus, oil well, railway or diesel equipment. 18 Sockets, all 12 pt., 1 Ratchet and 3 Accessories. Packed in sturdy metal box featuring lift-out tray, piano-type hinge, and hasp for padlock, baked enamel finish: 9 1/2" high; 20" long; 8 1/2" wide.

No.	Description	No.	Description
47128	3/8" Skt.	47150	1 3/16" Skt.
47130	1 5/16" Skt.	47152	1 5/8" Skt.
47132	1" Skt.	47154	1 11/16" Skt.
47134	1 1/16" Skt.	47156	1 3/4" Skt.
47136	1 1/8" Skt.	47158	1 13/16" Skt.
47138	1 3/16" Skt.	47160	1 7/8" Skt.
47140	1 1/4" Skt.	47164	2" Skt.
47142	1 5/16" Skt.	47153	Slide T Handle
47144	1 3/8" Skt.	47161	8" Extension
47146	1 7/16" Skt.	47162	16" Extension
47148	1 1/2" Skt.	47170	Ratchet

Std. Pkg. 1

Shipping Weight Each, 44 lbs.





MASTER COMBINATION SET 1/4" - 3/8" - 1/2" DRIVE

MASTER COMBINATION SET No. 4189 (89 pcs.)

A really complete Socket Wrench set — with an all-purpose selection of standard, special and deep sockets, handles, extensions, ratchets, universal joints and flex sockets, plus seven combination wrenches and three short box end wrenches. 1/4" drive set is packed in individual steel case. Entire set is packed in our No. 6611 HEAVY DUTY TOOL CHEST: 10" high; 22" long; 10" wide. (For detailed information on this chest, see page 13.)



DRIVE TOOLS (16 pcs.)

No.	Description	No.	Description
40906	3/16" 6 pt. Skt.	40916	1/2" 6 pt. Skt.
40907	7/32" 6 pt. Skt.	40988	1/4" 8 pt. Skt.
40908	1/4" 6 pt. Skt.	40900	5/16" 8 pt. Skt.
40909	9/32" 6 pt. Skt.	40950	Cross Bar
40910	5/16" 6 pt. Skt.	40953	Flex Handle
40911	11/32" 6 pt. Skt.	40961	2" Extension
40912	3/8" 6 pt. Skt.	40962	6" Extension
40914	7/16" 6 pt. Skt.	40970	Ratchet

COMBINATION and BOX WRENCHES (10 pcs.)

No.	Description	No.	Description
MB-1214	3/8" x 7/16" Short Box	C-16	1/2" Comb. Wr.
MB-1618	1/2" x 9/16" Short Box	C-18	9/16" Comb. Wr.
MB-2022	5/8" x 11/16" Short Box	C-20	5/8" Comb. Wr.
C-12	3/8" Comb. Wr.	C-22	11/16" Comb. Wr.
C-14	7/16" Comb. Wr.	C-24	3/4" Comb. Wr.



DRIVE TOOLS (30 pcs.)

No.	Description	No.	Description
45112	3/8" Std. 6 pt. Skt.	40412	3/8" Deep 6 pt. Skt.
45114	7/16" Std. 6 pt. Skt.	40414	7/16" Deep 6 pt. Skt.
45116	1/2" Std. 6 pt. Skt.	40416	1/2" Deep 6 pt. Skt.
45118	9/16" Std. 6 pt. Skt.	40418	9/16" Deep 6 pt. Skt.
45120	5/8" Std. 12 pt. Skt.	40420	5/8" Deep 6 pt. Skt.
45122	11/16" Std. 12 pt. Skt.	40422	11/16" Deep 6 pt. Skt.
45124	3/4" Std. 12 pt. Skt.	40424	3/4" Deep 6 pt. Skt.
45150	Cross Bar	40426	13/16" Deep 6 pt. Skt.
45153	Flex Handle	40612	3/8" Flex 6 pt. Skt.
45160	3" Extension	40614	7/16" Flex 6 pt. Skt.
45161	6" Extension	40616	1/2" Flex 6 pt. Skt.
45162	12" Extension	40618	9/16" Flex 6 pt. Skt.
45170	Ratchet	40620	5/8" Flex 6 pt. Skt.
45181	Speeder Handle	40622	11/16" Flex 6 pt. Skt.
45190	Universal Joint	40624	3/4" Flex 6 pt. Skt.



DRIVE TOOLS (33 pcs.)

No.	Description	No.	Description
40114	7/16" Std. 6 pt. Skt.	40152	Slide T Handle
40116	1/2" Std. 6 pt. Skt.	40160	2" Extension
40118	9/16" Std. 6 pt. Skt.	40161	5" Extension
40119	19/32" Std. 12 pt. Skt.	40162	10" Extension
40120	5/8" Std. 12 pt. Skt.	40181	Speeder Handle
40122	11/16" Std. 12 pt. Skt.	40190	Universal Joint
40124	3/4" Std. 12 pt. Skt.	41653	17" Flex Handle
40125	29/32" Std. 12 pt. Skt.	42470	Ratchet
40126	13/16" Std. 12 pt. Skt.	40816	1/2" Deep Skt.
40128	7/8" Std. 12 pt. Skt.	40818	9/16" Deep Skt.
40130	15/16" Std. 12 pt. Skt.	40820	5/8" Deep Skt.
40132	1" Std. 12 pt. Skt.	40822	11/16" Deep Skt.
40134	1 1/16" Std. 12 pt. Skt.	40824	3/4" Deep Skt.
40136	1 1/8" Std. 12 pt. Skt.	40826	13/16" Deep Skt.
40140	1 1/4" Std. 12 pt. Skt.	40828	7/8" Deep Skt.
4V118	9/16" Ford V8 Rod Skt.	40830	15/16" Deep Skt.
40809	Drag Link Skt.		



No. 4189 Master Combination Set: std. pkg. 1. Shipping Weight Each, 60 lbs.



SOCKETS, HANDLES and ATTACHMENTS

1/4"

S-K 1/4" square drive sockets and handles are widely preferred by automotive, aircraft and industrial mechanics who appreciate smart design, accurate machining and high-quality finish.

REVERSIBLE RATCHET



Has 60-Tooth mechanism, an exclusive design which permits operation in arcs as small as 6°. For other details on S/K Ratchets, see Back Cover.

Part Number	Length	Head Diam.	Pkg.* Weight
40970	4 1/2"	1"	1.1 lbs.

SPINNER HANDLE



Part Number	Length	Pkg.* Weight
40954	6"	1.0 lbs.

FLEX HEAD HANDLE



Part Number	Length	Head Diam.	Pkg.* Weight
40953	5 1/4"	1/2"	1.2 lbs.

CROSS BAR



Part Number	Length	Diam.	Pkg.* Weight
40950	4 1/2"	1/4"	.4 lb.

EXTENSIONS



Part Number	Length	Diam.	Pkg.* Weight
40961	2"	21/64"	.3 lb.
40962	6"	21/64"	.9 lb.


REVERSIBLE RATCHET



Another of the famous line of S-K Ratchets — with close, positive action assured by 40-tooth mechanism. This handle saves time on jobs in cramped quarters. For details on S-K Ratchets, see Back Cover.


Part Number	Length	Head Diam.	Pkg.* Weight
45170	7 1/2"	1 3/8"	3.7 lbs.

SPEEDER HANDLE



Part Number	Length	Diam.	Pkg.* Weight
45181	16 1/2"	3/8"	5.9 lbs.

EXTENSIONS



Part Number	Length	Diam.	Pkg.* Weight
45160	3"	7/16"	1.0 lb.
45161	6"	7/16"	1.7 lbs.
45162	12"	7/16"	3.3 lbs.

FLEX HEAD HANDLE



Part Number	Length	Head Diam.	Pkg.* Weight
45153	7 1/2"	3/4"	3.1 lbs.

CROSS BAR




Part Number	Length	Diam.	Pkg.* Weight
45150	6"	5/16"	.8 lb.

UNIVERSAL JOINT



Part Number	Length	Pkg.* Weight
45190	1 7/8"	.8 lb.

ADAPTER



Permits use of 1/2" drive sockets with 3/8" drive handles.

Part Number	Size	Length	Pkg.* Weight
451-A	3/8" Female— 1/2" Male	1 3/16"	.5 lb.

3/8"

*All above items packed in standard package of 6



SOCKETS, and ATTACHMENTS



THIN WALL SOCKETS 409 Series



6 Point

Part Number	Size	Length	Pkg. * Weight
40906	3/16"	7/8"	.2 lb.
40907	1/8"	1/8"	.2 lb.
40908	1/4"	1/8"	.2 lb.
40909	5/16"	1/8"	.2 lb.
40910	3/8"	1/8"	.2 lb.
40911	11/32"	1/8"	.2 lb.
40912	3/8"	1/8"	.2 lb.
40914	1/2"	1/8"	.3 lb.
40916	1/2"	1/8"	.3 lb.



8 Point

Part Number	Size	Length	Pkg. * Weight
40988	1/4"	7/8"	.2 lb.
40900	5/16"	7/8"	.3 lb.
40901	3/8"	7/8"	.3 lb.

STANDARD SOCKETS 451 Series




6 Point



12 Point

Part Number	Size	Length	Pkg. * Weight
45112 (6 pt.)	3/8"	7/8"	.2 lb.
45114 (6 pt.)	7/16"	7/8"	.3 lb.
45116 (6 pt.)	1/2"	7/8"	.3 lb.
45118 (6 pt.)	9/16"	7/8"	.4 lb.
45120 (12 pt.)	3/8"	1"	.5 lb.
45122 (12 pt.)	11/16"	1"	.6 lb.
45124 (12 pt.)	3/4"	1"	.7 lb.

SPARK PLUG SOCKET



Neoprene Insert
holds spark plug
securely. Protects
porcelain.

Part Number	Size	Length	Pkg. * Weight
4426S	13/16"	2 5/16"	1.7 lbs.

DEEP SOCKETS 404 Series



6 Point

Part Number	Size	Length	Pkg. * Weight
40412	3/8"	1 3/4"	.5 lb.
40414	7/16"	1 3/4"	.5 lb.
40416	1/2"	1 3/4"	.6 lb.
40418	9/16"	1 3/4"	.8 lb.
40420	5/8"	2 1/2"	1.3 lbs.
40422	11/16"	2 1/2"	1.5 lbs.
40424	3/4"	2 1/2"	1.9 lbs.
40426	13/16"	2 1/2"	2.1 lbs.

DEEP SOCKET 419 Series



6 Point

Part Number	Size	Length	Pkg. * Weight
41908	1/4"	2"	.3 lb.
41909	9/32"	2"	.3 lb.
41910	5/16"	2"	.4 lb.
41911	11/32"	2"	.4 lb.
41912	3/8"	2"	.5 lb.
41914	7/16"	2"	.6 lb.
41916	1/2"	2"	.7 lb.

UNIVERSAL JOINT 409 Series



Part Number	Length	Pkg. * Weight
40990	1 11/32"	.3 lbs.

3/8"

FLEX SOCKETS 406 Series



6 Point

Part Number	Size	Length	Pkg. * Weight
40612	3/8"	1 5/8"	.5 lb.
40614	7/16"	1 5/8"	.5 lb.
40616	1/2"	1 5/8"	.6 lb.
40618	9/16"	1 5/8"	.7 lb.
40620	5/8"	1 5/8"	.8 lb.
40622	11/16"	1 5/8"	.8 lb.
40624	3/4"	1 5/8"	.9 lb.


1/4"

3/8"

1/2"

3/4"

RATCHET RENEWALS



S-K Ratchets are designed so that it is a simple operation to remove a worn operating mechanism and install a Ratchet Renewal Unit. (See illustrations on Back Cover for details.)

Part Number	Drive Size	Std. Pkg.	Weight Each
B40970	1/4"	1	.1 lb.
B45170	3/8"	1	.2 lb.
B42470	1/2"	1	.3 lb.
B47170	3/4"	1	1.0 lb.

*All above items (except ratchet renewal) packed in standard package of 6



SOCKETS, HANDLES and ATTACHMENTS

1/2"

REVERSIBLE RATCHET



Precision machined, 50-tooth mechanism assures close action. For other details on S-K Ratchets, see Back Cover.

Part Number	Length	Head Diam.	Pkg.* Weight
42470	10 1/2"	1 3/4"	7.5 lbs.



SPEEDER HANDLE

Part Number	Length	Diam.	Pkg.* Weight
40181	18"	1 1/2"	9.9 lbs.

FLEX HEAD HANDLES



41653 is a dual purpose tool, having a female square broached in handle for use as a 17" extension — (see illustration).

Part Number	Length	Head Diam.	Pkg.* Weight
40253	14 1/2"	1 1/8"	8.7 lbs.
41653	17"	1 1/8"	12.5 lbs.

SLIDE "T" HANDLE



Part Number	Length	Diam.	Pkg.* Weight
40152	10"	3/16"	5.5 lbs.

EXTENSIONS



Part Number	Length	Diam.	Pkg.* Weight
40160	2"	9/16"	1.1 lbs.
40161	5"	9/16"	2.2 lbs.
40162	10"	9/16"	4.0 lbs.

CROSS BAR



Part Number	Used With	Length	Diam.	Pkg.* Weight
40250	40253	10 1/2"	3/8"	2.0 lbs.

UNIVERSAL JOINT



Part Number 40190;
Length 2 5/16"; Pkg.*
Weight 1.50 lbs.

DRAG LINK SOCKET



Part Number 40809;
Blade Dim. 1 5/16" x .15";
Length 1 13/32"; Pkg.*
Weight 1.00 lb.

*All above items packed in standard package of 6

3/4"

REVERSIBLE RATCHET



Positive type, 70-tooth mechanism operates in only 5.1°. Strength, balance and durability are contributing factors also to its unprecedented mechanic acceptance. For other details on S-K Ratchets, see Back Cover.

Part Number	Length	Head Diam.	Pkg.† Weight
47170	18"	2 7/8"	5.2 lbs.

FLEX HEAD HANDLE



Part Number	Length	Head Diam.	Pkg.† Weight
47155	19"	1 1/2"	3.6 lbs.

SLIDE "T" HANDLE



Part Number	Length	Diam.	Pkg.† Weight
47153	18"	7/8"	3.8 lbs.

EXTENSIONS



Part Number	Length	Diam.	Pkg.† Weight
47161	8"	15/16"	1.7 lbs.
47162	16"	15/16"	3.4 lbs.

† All above items packed in standard package of 1



SOCKETS and ATTACHMENTS



STANDARD SOCKETS 401 Series



6 Point

Part Number	Size	Length	Pkg.* Weight
40114	7/16"	1 1/2"	.8 lb.
40116	9/16"	1 1/2"	.8 lb.
40118	5/8"	1 17/32"	.9 lb.



12 Point

Part Number	Size	Length	Pkg.* Weight
40119	19/32"	1 17/32"	.9 lb.
40120	5/8"	1 9/16"	.9 lb.
40122	11/16"	1 19/32"	1.3 lbs.
40124	3/4"	1 19/32"	1.5 lbs.
40125	25/32"	1 5/8"	1.4 lbs.
40126	13/16"	1 5/8"	1.6 lbs.
40128	7/8"	1 21/32"	1.8 lbs.
40130	15/16"	1 21/32"	2.0 lbs.
40132	1"	1 11/16"	2.6 lbs.
40134	1 1/16"	1 25/32"	2.8 lbs.
40136	1 1/8"	1 3/4"	3.1 lbs.
40138	1 3/16"	1 3/4"	3.6 lbs.
40140	1 1/4"	1 3/4"	3.6 lbs.

FORD V8 CONNECTING ROD SOCKET



Part Number 4V118; Size 5/16"; Length, 1 1/4"; Pkg.* Weight .80 lb. (Extra thin — not guaranteed)



ADAPTER

Part Number 401-A; Size 1/2" Female — 3/8" Male; Length 1 3/8". Permits use of 3/8" drive sockets with 1/2" drive handles. Pkg.* Weight .60 lb.

*All above items packed in standard package of 6



8 Point

Part Number	Size	Length	Pkg.* Weight
40103	1/2"	1 3/8"	1.1 lbs.
40104	9/16"	1 3/8"	1.2 lbs.
40105	5/8"	1 3/8"	1.4 lbs.
40106	11/16"	1 3/8"	1.7 lbs.

DEEP SOCKETS 408 Series



12 Point

Part Number	Size	Length	Pkg.* Weight
40816	1/2"	3 1/4"	1.9 lbs.
40818	9/16"	3 1/4"	2.1 lbs.
40820	5/8"	3 1/4"	1.9 lbs.
40822	11/16"	3 1/4"	2.2 lbs.
40824	3/4"	3 1/4"	2.6 lbs.
40826	13/16"	3 1/4"	2.4 lbs.
40828	7/8"	3 1/4"	3.7 lbs.
40830	15/16"	3 1/4"	4.0 lbs.
40832	1"	3 1/4"	4.4 lbs.
40836	1 1/8"	3 1/4"	4.9 lbs.

SPARK PLUG SOCKET



Neoprene insert holds spark plug securely. Protects porcelain.

Part Number	Size	Length	Pkg.* Weight
48265	13/16"	2 11/32"	1.8 lbs.



STANDARD SOCKETS 471 Series



12 Point

Part Number	Size	Length	Pkg.† Weight
47128	7/16"	2"	.5 lb.
47130	15/16"	2"	.5 lb.
47132	1"	2"	.5 lb.
47134	1 1/16"	2"	.5 lb.
47136	1 1/8"	2 1/16"	.6 lb.
47138	1 1/16"	2 3/32"	.6 lb.
47140	1 1/8"	2 1/8"	.6 lb.
47142	1 5/16"	2 5/32"	.8 lbs.
47144	1 3/8"	2 3/16"	.8 lbs.

Part Number	Size	Length	Pkg.† Weight
47146	1 7/16"	2 1/4"	.9 lbs.
47148	1 1/2"	2 5/16"	.9 lbs.
47150	1 9/16"	2 11/32"	1.0 lbs.
47152	1 5/8"	2 3/8"	1.0 lbs.
47154	1 11/16"	2 1/2"	1.1 lbs.
47156	1 3/4"	2 1/2"	1.3 lbs.
47158	1 13/16"	2 9/16"	1.2 lbs.
47160	1 7/8"	2 5/8"	1.4 lbs.
47164	2"	2 11/16"	1.5 lbs.

† All above items packed in standard package of 1



TOOL BOXES



No. 1502 HEAVY DUTY TOOL BOX

Lift-out tote tray has heavy carrying bar and full length partitions for socket wrenches and handles. Ample room under the tray for storage of other long wrenches, screwdrivers, punches, hammers, etc. Equipped with two full length piano type hinges, metal carrying handle, nickel-plated hasp for padlock, and side catches. Attractive baked enamel finish.

Number	Dimensions	Std. Pkg.	Shipping Weight
1502	19" x 7" x 8 3/4"	1	11 lbs.

No. 1512 Tote Tray (Tray only for No. 1502 Box.) Std. Pkg. 1. Shipping Weight Each, 5.0 lbs.



No. 1503

GENERAL MECHANIC'S BOX

Lift-out tote tray has carrying bar and full length partitions for sockets and handles. Adequate space below tray for other tools. Equipped with round metal carrying handle, nickel-plated side catches and hasp for padlock.

Number	Dimensions	Std. Pkg.	Shipping Weight
1503	20" x 6" x 6"	1	9.0 lbs.



No. 1532 CARPENTER'S TOOL CHEST

A handy tool chest with space for plenty of carpenter tools. Has two clips welded to inside front to hold level, and two holes to hold the T-square securely. The bottom is covered by fiber board insert with wooden block grooved for three saws. Full size, round metal handle on end, in addition to one on top. Piano type hinge runs full length of chest. Equipped with heavy, nickel-plated sturdy hasp for padlock. Attractive baked enamel finish.

Number	Dimensions	Std. Pkg.	Shipping Weight
1532	32" x 8" x 10"	1	15 lbs.



No. 620 ALL-PURPOSE TOOL BOX

The uses for this versatile box are unlimited. A very popular box among mechanics, electricians, plumbers and home handymen. Sturdy metal handle designed to fit the hand. Convenient lift-out tote tray with strong tubular handle, and partitions for tools and small parts. Spotwelded seams, piano type stop hinge, nickel-plated catches and hinge hasp for padlock. Attractive baked enamel finish.

Number	Dimensions	Std. Pkg.	Shipping Weight
620	20" x 8 1/2" x 9 1/2"	1	13 lbs.

TOOL BOXES




No. 6611 HEAVY DUTY TOOL CHEST

An ideal chest for the professional mechanic. Top compartment contains an 18" tote tray for carrying emergency tools right to the job. Free-sliding drawers with compound slides cannot pull out or tip and spill contents. The top drawer is divided into compartments for miscellaneous small tools. The bottom drawer will accommodate $\frac{3}{4}$ " drive sockets and handles and other bulky tools. Removable front panel covers drawers and is securely locked in place by cover. Baked enamel finish, nickel-plated side catches and hasp for padlock. There is a sturdy handle on each end for carrying.

Number	Dimensions	Std. Pkg.	Shipping Weight
6611	22" x 10" x 10"	1	30 lbs.

No. 6610 HEAVY DUTY TOOL CHEST

Same as above except smaller tote tray and without compound slides on drawers. 35 lbs.



No. 6000 MASTER MECHANIC'S TOOL BOX

This large hip-roof box is rigidly constructed. Full length piano type hinges and folded edges provide additional strength and protection. Also equipped with nickel-plated side catches and hasp for padlock. Full size tote tray is partitioned for sockets and other small tools and has heavy, tubular steel carrying bar. An unusual cover arrangement opens part of the front side, making it easier to get at tools in bottom. Baked enamel finish.

Number	Dimensions	Std. Pkg.	Shipping Weight
6000	20" x 8" x 9 $\frac{3}{4}$ "	1	13 lbs.



No. 6614 HEAVY DUTY MACHINIST CHEST

A chest that is in demand wherever offered. Steel construction throughout. Drawers and inside of top compartment are lined with green felt. Drawers cannot fall out. Attractive baked enamel finish. Equipped with nickel-plated hardware throughout. The front panel slides into a recess at bottom of the drawers when chest is open. When chest is closed, this panel fits against drawers and is held by nickel-plated lock, locking drawers securely.

Number	Dimensions	Std. Pkg.	Shipping Weight
6614	20" x 8 $\frac{3}{4}$ " x 13"	1	27 lbs.




No. 619 GENERAL PURPOSE TOOL BOX

Designed for the mechanic who must have a box that withstands heavy use. Has lift-out tray. Full length piano type hinge, nickel-plated heavy hasp for padlock and side catches. Metal handle. Baked enamel finish.

Number	Dimensions	Shipping Weight
619	19" x 7" x 7 $\frac{1}{4}$ "	9.0 lbs.



SPA SAVER* DISPLAYS



No. SK-5 DISPLAY

Five of the fastest-selling S-K Sets arranged for maximum sales "step up". SpaSaver* display mounts on perfboard, or on other surfaces, stands on counter. Everything instantly visible in this smart display, with no waste space. (Companion to Lectrolite L-6 Display)


Set No.	Description	Set No.	Description
4916	1/4" Drive — 16 Pcs.	4116	1/2" Drive — 16 Pcs.
4511	3/8" Drive — 11 Pcs.	4118	1/2" Drive — 18 Pcs.
4520	3/8" Drive — 20 Pcs.		

SK-5 Display Dimensions 16" x 23"

Shipping Weight Each, 43 lbs.

No. SK-57 DISPLAY

A profit-producing, low-inventory assortment of S-K 3/8" and 1/2" drive tools. Includes 77 sockets and handles with compact display bracket for use on perfboard or other wall surfaces—complete with part number and price strips. Space required: 30" wide, 20" high. (Companion to Lectrolite L-35-H Display)



3/8" Square Drive		
1—451-A Adapter	1—4426S S.P. Skt. 13/16"	1—45120 Skt. 5/8"
1—40412 Dp. Skt. 3/8"	1—40614 Fl. Skt. 1/16"	1—45122 Skt. 11/16"
1—40414 Dp. Skt. 1/16"	1—40616 Fl. Skt. 1/2"	1—45124 Skt. 3/4"
2—40416 Dp. Skt. 1/2"	1—40618 Fl. Skt. 9/16"	1—45160 Ext. 3"
2—40418 Dp. Skt. 9/16"	1—40620 Fl. Skt. 5/8"	1—45161 Ext. 6"
1—40420 Dp. Skt. 5/8"	1—45112 Skt. 3/8"	1—45162 Ext. 12"
1—40422 Dp. Skt. 11/16"	1—45114 Skt. 1/16"	2—45170 Ratchet
1—40424 Dp. Skt. 3/4"	2—45116 Skt. 1/2"	1—45181 Speeder
1—40426 Dp. Skt. 13/16"	2—45118 Skt. 9/16"	1—45190 Univ. Joint
1/2" Square Drive		
1—401-A Adapter	1—40132 Skt. 1"	2—40816 Dp. Skt. 1/2"
2—40114 Skt. 7/16"	1—40134 Skt. 1 1/16"	2—40818 Dp. Skt. 9/16"
2—40116 Skt. 1/2"	1—40136 Skt. 1 1/8"	2—40820 Dp. Skt. 5/8"
2—40118 Skt. 9/16"	1—40138 Skt. 1 3/16"	2—40822 Dp. Skt. 11/16"
2—40120 Skt. 5/8"	1—40140 Skt. 1 1/4"	2—40824 Dp. Skt. 3/4"
2—40122 Skt. 11/16"	1—40160 Ext. 2"	2—40826 Dp. Skt. 13/16"
2—40124 Skt. 3/4"	2—40161 Ext. 5"	1—40828 Dp. Skt. 7/8"
1—40126 Skt. 13/16"	1—40162 Ext. 10"	2—41653 Flex
1—40128 Skt. 7/8"	1—40181 Speeder	2—42470 Ratchet
1—40130 Skt. 1 3/16"	1—40190 Univ. Joint	1—4826S S.P. Skt. 13/16"

No. SK-57 Display, Shipping Weight 36 lbs.


No. SK-23-H DISPLAY

A 23-piece sales display of 3/4" square drive sockets and handles. Includes display brackets for use on perfboard or other surfaces. Brackets provide part number and price marking area. Includes 1 each of 18 sockets, 7/8" through 2", and 5 handles.

3/4" Square Drive		
1—47128 Skt. 7/8"	1—47144 Skt. 1 3/8"	1—47160 Skt. 1 7/8"
1—47130 Skt. 1 5/16"	1—47146 Skt. 1 1/16"	1—47164 Sk. 2"
1—47132 Skt. 1"	1—47148 Skt. 1 1/8"	1—47153 Slide T
1—47134 Skt. 1 1/16"	1—47150 Skt. 1 9/16"	1—47155 Flex
1—47136 Skt. 1 1/8"	1—47152 Skt. 1 5/8"	1—47161 Extension
1—47138 Skt. 1 3/16"	1—47154 Skt. 1 11/16"	1—47162 Extension
1—47140 Skt. 1 1/4"	1—47156 Skt. 1 3/4"	1—47170 Ratchet
1—47142 Skt. 1 1/2"	1—47158 Skt. 1 13/16"	

SK-23-H Display Dimensions 30" x 19"

Shipping Weight 39 lbs.



*Trademark



SPASAVER* DISPLAYS

No. SK-23-B DISPLAY

S-K Sockets and Handles display their superior craftsmanship and gleaming finish to maximum advantage against this attractive, natural finish board. A complete assortment of the popular $\frac{3}{4}$ " square drive items, including 1 each of 18 sockets, $\frac{7}{8}$ " through 2" and 5 handles.

$\frac{3}{4}$ " Square Drive		
1—47128 Skt. $\frac{7}{8}$ "	1—47144 Skt. $1\frac{3}{8}$ "	1—47160 Skt. $1\frac{7}{8}$ "
1—47130 Skt. $1\frac{1}{2}$ "	1—47146 Skt. $1\frac{1}{2}$ "	1—47164 Skt. 2"
1—47132 Skt. 1"	1—47148 Skt. $1\frac{1}{2}$ "	1—47153 Slide T
1—47134 Skt. $1\frac{1}{16}$ "	1—47150 Skt. $1\frac{1}{2}$ "	1—47155 Flex
1—47136 Skt. $1\frac{1}{8}$ "	1—47152 Skt. $1\frac{5}{8}$ "	1—47161 Extension
1—47138 Skt. $1\frac{3}{16}$ "	1—47154 Skt. $1\frac{11}{16}$ "	1—47162 Extension
1—47140 Skt. $1\frac{1}{4}$ "	1—47156 Skt. $1\frac{3}{4}$ "	1—47170 Ratchet
1—47142 Skt. $1\frac{5}{16}$ "	1—47158 Skt. $1\frac{13}{16}$ "	

SK-23-B Display Dimensions 15" x 36"

Shipping Weight Each, 45 lbs.

No. SK-82-A DISPLAY

A space-saving presentation of $\frac{1}{4}$ ", $\frac{3}{8}$ " and $\frac{1}{2}$ " square drive S-K Sockets and Handles. Includes balanced stock of 132 tools which delivers the heart of the socket wrench business. Conveniently arranged on attractive natural finish background, complete with part number and size identification. 24" wide x 36" high. (Companion to Lectrolite L-25-B & L-35-B Displays)

$\frac{1}{4}$ " Square Drive		
2—40906 Skt. $\frac{3}{16}$ "	2—40911 Skt. $1\frac{1}{32}$ "	2—40954 Spin Hdle.
2—40907 Skt. $\frac{1}{32}$ "	2—40912 Skt. $\frac{3}{8}$ "	2—40961 Ext. 2"
2—40908 Skt. $\frac{1}{4}$ "	2—40914 Skt. $\frac{7}{16}$ "	2—40962 Ext. 6"
2—40909 Skt. $\frac{9}{32}$ "	2—40916 Skt. $\frac{1}{2}$ "	2—40970 Ratchet
2—40910 Skt. $\frac{5}{16}$ "	1—40953 Flex	
$\frac{3}{8}$ " Square Drive		
2—451-A Adapter	1—40614 Fl. Skt. $\frac{7}{16}$ "	1—45122 Skt. $1\frac{1}{16}$ "
2—40412 Dp. Skt. $\frac{3}{8}$ "	2—40616 Fl. Skt. $\frac{1}{2}$ "	1—45124 Skt. $\frac{3}{4}$ "
2—40414 Dp. Skt. $\frac{1}{16}$ "	2—40618 Fl. Skt. $\frac{9}{16}$ "	1—45153 Flex
2—40416 Dp. Skt. $\frac{1}{2}$ "	1—40620 Fl. Skt. $\frac{5}{8}$ "	2—45160 Ext. 3"
2—40418 Dp. Skt. $\frac{9}{16}$ "	1—40622 Fl. Skt. $1\frac{1}{16}$ "	2—45161 Ext. 6"
2—40420 Dp. Skt. $\frac{5}{8}$ "	1—40624 Fl. Skt. $\frac{3}{4}$ "	2—45162 Ext. 12"
2—40422 Dp. Skt. $1\frac{1}{16}$ "	2—45112 Skt. $\frac{3}{8}$ "	2—45170 Ratchet
2—40424 Dp. Skt. $\frac{3}{4}$ "	2—45114 Skt. $\frac{1}{16}$ "	1—45181 Speeder
2—40426 Dp. Skt. $\frac{13}{16}$ "	2—45116 Skt. $\frac{1}{8}$ "	2—45190 Univ. Joint
1—44265 S.P. Skt. $\frac{13}{16}$ "	2—45118 Skt. $\frac{9}{16}$ "	
1—40612 Fl. Skt. $\frac{3}{8}$ "	2—45120 Skt. $\frac{5}{8}$ "	
$\frac{1}{2}$ " Square Drive		
2—401-A Adapter	1—40132 Skt. 1"	1—40820 Dp. Skt. $\frac{5}{8}$ "
2—40114 Skt. $\frac{1}{16}$ "	1—40134 Skt. $1\frac{1}{16}$ "	1—40822 Dp. Skt. $1\frac{1}{16}$ "
2—40116 Skt. $\frac{1}{8}$ "	1—40136 Skt. $1\frac{1}{8}$ "	1—40824 Dp. Skt. $\frac{3}{4}$ "
1—4V118 Fd. Skt. $\frac{9}{16}$ "	1—40138 Skt. $1\frac{3}{16}$ "	2—40826 Dp. Skt. $1\frac{3}{16}$ "
2—40118 Skt. $\frac{9}{16}$ "	2—40140 Skt. $1\frac{1}{4}$ "	1—40828 Dp. Skt. $\frac{7}{8}$ "
1—40119 Skt. $1\frac{5}{16}$ "	1—40152 Slide T	1—40830 Dp. Skt. $1\frac{5}{16}$ "
2—40120 Skt. $\frac{5}{8}$ "	1—40160 Ext. 2"	1—40832 Dp. Skt. 1"
2—40122 Skt. $1\frac{1}{16}$ "	2—40161 Ext. 5"	1—40836 Dp. Skt. $1\frac{1}{8}$ "
2—40124 Skt. $\frac{3}{4}$ "	1—40162 Ext. 10"	1—48265 S.P. Skt. $1\frac{3}{16}$ "
1—40125 Skt. $2\frac{1}{2}$ "	1—40181 Speeder	2—41653 Flex
2—40126 Skt. $1\frac{3}{16}$ "	2—40190 Univ. Joint	2—42470 Ratchet
2—40128 Skt. $\frac{7}{8}$ "	1—40816 Dp. Skt. $\frac{1}{2}$ "	
2—40130 Skt. $1\frac{1}{16}$ "	1—40818 Dp. Skt. $\frac{9}{16}$ "	

No. SK-82-A Display,

Shipping Weight 60 lbs.




No. SK-7 DISPLAY

Seven popular S-K Socket Wrench Sets that appeal to everyone from home handymen to master mechanics. SpaSaver* stand provides real eye-catching display effectiveness in minimum space. Easy-to-set-up, with proper set identification right on stand. Plenty of space for back-up stock on rear of stand. Display Panel may be hung as wall display if desired. Hooks provided for this purpose. (Companion to Lectrolite L-7 Display)

Set No.	Description	Set No.	Description
4916	$\frac{1}{4}$ " Drive — 16 Pcs.	4116	$\frac{1}{8}$ " Drive — 16 Pcs.
4511	$\frac{3}{8}$ " Drive — 11 Pcs.	4118	$\frac{1}{2}$ " Drive — 18 Pcs.
4520	$\frac{5}{8}$ " Drive — 20 Pcs.	4122	$\frac{1}{2}$ " Drive — 22 Pcs.
4528	$\frac{3}{8}$ " Drive — 28 Pcs.		

SK-7 Display Dimensions 24" x 57"

Shipping Weight 93 lbs.




*Trademark

ALL DISPLAY EQUIPMENT SUPPLIED FREE WITH PURCHASE OF TOOL INVENTORY

THE SHERMAN-KLOVE CO.



SPÄ SAVER* DISPLAYS



L-6


L-6 LECTROLITE DISPLAY

One each of 6 fast moving Lectrolite sets are displayed on this 16" x 26" merchandiser. Sets up in seconds. Can be used on counters or mounted on wall. (Companion to SK-5 Display)

1 MB-3	3-Pc. Short Pattern Box Wrench Set	$\frac{3}{8}"$ to $\frac{11}{16}"$
1 350-B	5-Pc. Long Pattern Box Wrench Set	$\frac{3}{8}"$ to $\frac{7}{8}"$
1 560-B	6-Pc. Open End Wrench Set	$\frac{1}{4}"$ to $\frac{7}{8}"$
1 580-B	8-Pc. Open End Wrench Set	$\frac{1}{4}"$ to $1"$
1 1706-B	6-Pc. Combination Wrench Set	$\frac{3}{8}"$ to $\frac{11}{16}"$
1 1711-B	11-Pc. Combination Wrench Set	$\frac{3}{8}"$ to $1"$

Dimensions 16" x 26"

Shipping Weight 23 lbs.



L-8 LECTROLITE DISPLAY

A handsome display of Lectrolite nickel-chrome plated adjustables in 6 different sizes. Display sets up in seconds for use on wall or counter.

2	4-AW	4" Adj. Wrench
2	6-AW	6" Adj. Wrench
2	8-AW	8" Adj. Wrench
2	10-AW	10" Adj. Wrench
2	12-AW	12" Adj. Wrench
1	16-AW	16" Adj. Wrench

Dimensions $11\frac{7}{8}"$ x $18\frac{3}{4}"$
Shipping Weight 16 lbs.


L-7 LECTROLITE DISPLAY

Seven popular Lectrolite Combination, Open End and Box Wrench Sets that appeal to everyone from home handyman to master mechanic. Displayed on smart SpaSaver* stand, complete with brackets. Display panel may be hung as wall display if desired. (Companion to SK-7 Display)

2 BM-3	3-Pc. Box Wrench Set	$\frac{3}{8}"$ to $\frac{11}{16}"$
2 1706-B	6-Pc. Comb. Wrench Set	$\frac{3}{8}"$ to $\frac{11}{16}"$
2 560-B	6-Pc. Open End Wrench Set	$\frac{1}{4}"$ to $\frac{7}{8}"$
2 350-B	5-Pc. Box Wrench Set	$\frac{3}{8}"$ to $\frac{7}{8}"$
2 510-R	10-Pc. Open End Wrench Set	$\frac{1}{4}"$ to $1"$
2 1711-R	11-Pc. Comb. Wrench Set	$\frac{3}{8}"$ to $1"$
2 1714-R	14-Pc. Comb. Wrench Set	$\frac{3}{8}"$ to $1\frac{1}{4}"$

Dimensions — 24" x 57"

Shipping Weight 75 lbs.



L-7

L-8B DISPLAY (not shown)

Identical to L-8 Display above, but featuring adjustables with black oxide finish.


2	4-AWB	4" Adj. Wrench
2	6-AWB	6" Adj. Wrench
2	8-AWB	8" Adj. Wrench
2	10-AWB	10" Adj. Wrench
2	12-AWB	12" Adj. Wrench
1	16-AWB	16" Adj. Wrench

L-35H LECTROLITE DISPLAY

Display includes hook brackets, adapters and tools listed below. Space requirement: 30" wide x 21" high. (Specified NRHA dimensions.) (Companion to SK-57 Display)

Box Wrenches					
2	B-1214	$\frac{3}{8}"$ x $\frac{7}{16}"$	2	B-2024	$\frac{5}{8}"$ x $\frac{3}{4}"$
2	B-1416	$\frac{7}{16}"$ x $\frac{1}{2}"$	2	B-2224	$\frac{11}{16}"$ x $\frac{3}{4}"$
2	B-1618	$\frac{1}{2}"$ x $\frac{9}{16}"$	2	B-2628	$\frac{13}{16}"$ x $\frac{7}{8}"$
2	B-1820	$\frac{9}{16}"$ x $\frac{5}{8}"$	2	B-3032	$\frac{15}{16}"$ x $1"$
2	C-12	$\frac{3}{8}"$	2	C-22	$\frac{11}{16}"$
2	C-14	$\frac{7}{16}"$	2	C-24	$\frac{3}{4}"$
2	C-16	$\frac{1}{2}"$	2	C-26	$\frac{13}{16}"$
2	C-18	$\frac{9}{16}"$	2	C-28	$\frac{7}{8}"$
2	C-20	$\frac{5}{8}"$	2	C-30	$\frac{15}{16}"$
2	O-810	$\frac{1}{4}"$ x $\frac{5}{16}"$	2	O-1820	$\frac{9}{16}"$ x $\frac{5}{8}"$
2	O-1214	$\frac{5}{8}"$ x $\frac{1}{16}"$	2	O-1922	$\frac{19}{32}"$ x $\frac{11}{16}"$
2	O-1416	$\frac{7}{16}"$ x $\frac{1}{2}"$	2	O-2024	$\frac{9}{16}"$ x $\frac{3}{4}"$
2	O-1618	$\frac{1}{2}"$ x $\frac{9}{16}"$	2	O-2526	$\frac{25}{32}"$ x $\frac{13}{16}"$
Dimensions — 30" x 21"			2	O-2428	$\frac{3}{4}"$ x $\frac{7}{8}"$
			2	O-3032	$\frac{15}{16}"$ x $1"$

Shipping Weight 42 lbs.



L-35H

*Trademark



SPÄ SAVER* DISPLAYS


L-25B LECTROLITE DISPLAY

A compact arrangement of Lectrolite's most popular pliers and adjustable wrenches. (Companion to L-35B and SK-82-A Displays.)

2	5N	5" Satin-finish Plier
2	6N	6" Satin-finish Plier
2	6TN	6" Satin-finish Thin Nose Plier
2	8N	8" Satin-finish Plier
1	10N	10" Satin-finish Plier
2	205	5" Polished Plier
2	206	6" Polished Plier
2	265	6" Polished Thin Nose Plier
2	208	8" Polished Plier
1	210	10" Polished Plier
2	105	Black-oxide Finished Groove-Lock Plier
2	110	Fully-Polished Groove-Lock Plier
2	10WPC	Water Pump Plier
2	4AW	4" Nickel-Chrome Plated Adjustable Wrench
2	6AW	6" Nickel-Chrome Plated Adjustable Wrench
2	8AW	8" Nickel-Chrome Plated Adjustable Wrench
2	10AW	10" Nickel-Chrome Plated Adjustable Wrench
2	12AW	12" Nickel-Chrome Plated Adjustable Wrench
1	16AW	16" Nickel-Chrome Plated Adjustable Wrench
2	4AWB	4" Black Oxide Finish Adjustable Wrench
2	6AWB	6" Black Oxide Finish Adjustable Wrench
2	8AWB	8" Black Oxide Finish Adjustable Wrench
2	10AWB	10" Black Oxide Finish Adjustable Wrench
2	12AWB	12" Black Oxide Finish Adjustable Wrench
1	16AWB	16" Black Oxide Finish Adjustable Wrench

Dimensions: 24" x 36"

Shipping Weight 55 lbs.



L-25B


L-35B LECTROLITE DISPLAY

A compact arrangement of box, open end and combination wrenches to satisfy a wide range of requirements. Easy-to-read identification appears under each grouping. (Companion to SK-82-A Display)

Box Wrenches			
2 B-1214	$3\frac{5}{8}" \times 7\frac{1}{16}"$	2 B-2024	$5\frac{5}{8}" \times 3\frac{1}{4}"$
2 B-1416	$7\frac{1}{16}" \times 1\frac{1}{2}"$	2 B-2224	$11\frac{1}{16}" \times 3\frac{1}{4}"$
2 B-1618	$1\frac{1}{2}" \times 9\frac{1}{16}"$	2 B-2628	$13\frac{1}{16}" \times 3\frac{1}{2}"$
2 B-1820	$9\frac{1}{16}" \times 5\frac{5}{8}"$	2 B-3032	$15\frac{1}{16}" \times 1"$
2 C-12	$3\frac{5}{8}"$	2 C-22	$11\frac{1}{16}"$
2 C-14	$4\frac{1}{16}"$	2 C-24	$3\frac{3}{4}"$
2 C-16	$1\frac{1}{2}"$	2 C-26	$13\frac{1}{16}"$
2 C-18	$9\frac{1}{16}"$	2 C-28	$7\frac{5}{8}"$
2 C-20	$5\frac{5}{8}"$	2 C-30	$15\frac{1}{16}"$
2 O-810	$1\frac{1}{4}" \times 5\frac{1}{16}"$	2 O-1820	$9\frac{1}{16}" \times 5\frac{5}{8}"$
2 O-1214	$3\frac{5}{8}" \times 7\frac{1}{16}"$	2 O-1922	$19\frac{3}{32}" \times 1\frac{1}{16}"$
2 O-1416	$7\frac{1}{16}" \times 1\frac{1}{2}"$	2 O-2024	$5\frac{5}{8}" \times 3\frac{1}{4}"$
2 O-1618	$1\frac{1}{2}" \times 9\frac{1}{16}"$	2 O-2526	$25\frac{3}{32}" \times 13\frac{1}{16}"$
2 MB-1214	$3\frac{5}{8}" \times 7\frac{1}{16}"$	2 MB-2022	$5\frac{5}{8}" \times 11\frac{1}{16}"$
2 MB-1618	$1\frac{1}{2}" \times 9\frac{1}{16}"$		
2 MB-2022	$5\frac{5}{8}" \times 11\frac{1}{16}"$		
Combination Wrenches			
2 C-32	$1\frac{1}{16}"$	2 C-32	$1"$
1 C-34	$1\frac{1}{16}"$	1 C-34	$1\frac{1}{16}"$
1 C-36	$1\frac{1}{8}"$	1 C-36	$1\frac{1}{8}"$
1 C-40	$1\frac{1}{4}"$	1 C-40	$1\frac{1}{4}"$
Open End Wrenches			
2 O-2428	$3\frac{1}{4}" \times 7\frac{1}{8}"$		
2 O-3032	$15\frac{1}{16}" \times 1"$		

Dimensions 24" x 36"

Shipping Weight 52 lbs.



L-35B


L-19 LECTROLITE DISPLAY

Space saving display stocking popular priced general purpose wrenches, pliers and sets. Wire fixtures can be utilized on wall perfor-board if desired.

3	845C	5-Pc. Combination Set	2	10-WPC	Utility Plier
2	866C	6-Pc. Combination Set	2	208	8" Combination Pl.
3	4500C	5-Pc. Open End Set	2	265	6" Thin Nose Pl.
2	4600C	6-Pc. Open End Set	2	206	6" Combination Pl.
2	3150C	5-Pc. Box End Set	2	6-N	6" Combination Pl.
3	5400C	4-Pc. Box End Set	3	6-AW	6" Adjustable Wr.
2	2300C	3-Pc. Box End Set	3	8-AW	8" Adjustable Wr.
2	14-SP	14" Pipe Wrench	3	10-AW	10" Adjustable Wr.
2	10-SP	10" Pipe Wrench	2	12-AW	12" Adjustable Wr.
2	110	Groove Joint Plier			

Dimensions 32" x 25"


Shipping Weight 60 lbs.




L-19

*Trademark


ALL DISPLAY EQUIPMENT SUPPLIED FREE WITH PURCHASE OF TOOL INVENTORY




350B



330-RH



360R



311R

ALLOY BOX END WRENCH SETS

These sets contain combinations of the B, HB and MB series 30° alloy box wrenches. Each wrench has been designed individually for strength, light weight and proper leverage. Tool rolls are made of durable vinyl impregnated cotton with heavy clear plastic pockets. All containers grommeted for hanging.

SET 350B (5 pcs. in tool bag)

LONG PATTERN 12 PT. BOX WRENCHES

No.	Size	No.	Size
B-1214	$\frac{3}{8}'' \times \frac{7}{16}''$	B-2224	$\frac{11}{16}'' \times \frac{3}{4}''$
B-1618	$\frac{1}{2}'' \times \frac{9}{16}''$	B-2628	$\frac{13}{16}'' \times \frac{7}{8}''$
B-1820	$\frac{9}{16}'' \times \frac{5}{8}''$		

Std. Pkg. 6

Shipping Weight 13 lbs.

SET 330-RH (3 pcs. in tool roll)

LONG PATTERN 6 PT. BOX WRENCHES

No.	Size	No.	Size
HB-1214	$\frac{3}{8}'' \times \frac{7}{16}''$	HB-2024	$\frac{5}{8}'' \times \frac{3}{4}''$
HB-1618	$\frac{1}{2}'' \times \frac{9}{16}''$		

Std. Pkg. 3

Shipping Weight 3.3 lbs.

SET 360R (6 pcs. in tool roll)

LONG PATTERN 12 PT. BOX WRENCHES

No.	Size	No.	Size
B-1214	$\frac{3}{8}'' \times \frac{7}{16}''$	B-2224	$\frac{11}{16}'' \times \frac{3}{4}''$
B-1618	$\frac{1}{2}'' \times \frac{9}{16}''$	B-2628	$\frac{13}{16}'' \times \frac{7}{8}''$
B-1820	$\frac{9}{16}'' \times \frac{5}{8}''$	B-3032	$\frac{15}{16}'' \times 1''$

Std. Pkg. 1

Shipping Weight 3.3 lbs.

SET 380R (8 pcs. in tool roll) - Not shown

LONG PATTERN 12 PT. BOX WRENCHES

No.	Size	No.	Size
B-1214	$\frac{3}{8}'' \times \frac{7}{16}''$	B-2024	$\frac{5}{8}'' \times \frac{3}{4}''$
B-1416	$\frac{7}{16}'' \times \frac{1}{2}''$	B-2224	$\frac{11}{16}'' \times \frac{3}{4}''$
B-1618	$\frac{1}{2}'' \times \frac{9}{16}''$	B-2628	$\frac{13}{16}'' \times \frac{7}{8}''$
B-1820	$\frac{9}{16}'' \times \frac{5}{8}''$	B-3032	$\frac{15}{16}'' \times 1''$

Std. Pkg. 1

Shipping Weight 4.1 lbs.

SET 311R

(11 pcs. in tool roll) LONG PATTERN 12 PT. BOX WRENCHES

No.	Size
B-1214	$\frac{3}{8}'' \times \frac{7}{16}''$
B-1416	$\frac{7}{16}'' \times \frac{1}{2}''$
B-1618	$\frac{1}{2}'' \times \frac{9}{16}''$
B-1820	$\frac{9}{16}'' \times \frac{5}{8}''$
B-2024	$\frac{5}{8}'' \times \frac{3}{4}''$
B-2224	$\frac{11}{16}'' \times \frac{3}{4}''$
B-2628	$\frac{13}{16}'' \times \frac{7}{8}''$
B-3032	$\frac{15}{16}'' \times 1''$

SHORT PATTERN 12 PT. BOX WRENCHES

No.	Size
MB-1214	$\frac{3}{8}'' \times \frac{7}{16}''$
MB-1618	$\frac{1}{2}'' \times \frac{9}{16}''$
MB-2022	$\frac{5}{8}'' \times \frac{1}{2}''$


Std. Pkg. 1 Shipping Wt. 4.6 lbs.

SET MB3

(3 pcs. in tool bag) SHORT PATTERN 12 PT. BOX WRENCHES

No.	Size
MB-1214	$\frac{3}{8}'' \times \frac{7}{16}''$
MB-1618	$\frac{1}{2}'' \times \frac{9}{16}''$
MB-2022	$\frac{5}{8}'' \times \frac{1}{2}''$

Std. Pkg. 6 Shipping Wt. 3.1 lbs.



MB3

ALLOY COMBINATION WRENCH SETS




These sets contain C series alloy combination wrenches, properly machined and heat treated — nickel and chrome plated. Tool rolls are tough vinyl impregnated cotton with clear plastic pockets. Grommeted for hanging.

SET 1706B (6 pcs. in tool bag) COMBINATION WRENCHES

No.	Size	No.	Size
C-12	3/8"	C-18	9/16"
C-14	7/16"	C-20	5/8"
C-16	1/2"	C-22	11/16"

Std. Pkg. 6

Shipping Weight 8.1 lbs.




1706B

SET 1711B (11 pcs. in tool bag) COMBINATION WRENCHES

No.	Size	No.	Size
C-12	3/8"	C-24	3/4"
C-14	7/16"	C-26	13/16"
C-16	1/2"	C-28	7/8"
C-18	9/16"	C-30	15/16"
C-20	5/8"	C-32	1"
C-22	11/16"		

Std. Pkg. 3

Shipping Weight 16 lbs.




1711B

SET 1711R (11 pcs. in tool roll) COMBINATION WRENCHES

No.	Size	No.	Size
C-12	3/8"	C-24	3/4"
C-14	7/16"	C-26	13/16"
C-16	1/2"	C-28	7/8"
C-18	9/16"	C-30	15/16"
C-20	5/8"	C-32	1"
C-22	11/16"		

Std. Pkg. 1

Shipping Weight 5.5 lbs.



1711R

SET 1706R (6 pcs. in tool roll) - Not shown COMBINATION WRENCHES

No.	Size	No.	Size
C-14	7/16"	C-20	5/8"
C-16	1/2"	C-22	11/16"
C-18	9/16"	C-24	3/4"

Std. Pkg. 1


Shipping Weight 1.9 lbs.

SET 1714R (14 pcs. in tool roll) COMBINATION WRENCHES

No.	Size
C-12	3/8"
C-14	7/16"
C-16	1/2"
C-18	9/16"
C-20	5/8"
C-22	11/16"
C-24	3/4"
C-26	13/16"
C-28	7/8"
C-30	15/16"
C-32	1"
C-34	1 1/16"
C-36	1 1/8"
C-40	1 1/4"

Std. Pkg. 1

Shipping Weight 12 lbs.




1714R



ALLOY OPEN END WRENCH SETS

The six sets listed contain O and T series open end wrenches in various combinations. Tool rolls are heavy duty vinyl impregnated cotton with clear plastic tool pockets. All containers grommeted for hanging.




560B

SET 560B (6 pcs. in tool bag) OPEN END WRENCHES

No.	Size	No.	Size
O-810	$\frac{1}{4}" \times \frac{5}{16}"$	O-1922	$\frac{19}{32}" \times \frac{11}{16}"$
O-1214	$\frac{3}{8}" \times \frac{7}{16}"$	O-2024	$\frac{5}{8}" \times \frac{3}{4}"$
O-1618	$\frac{1}{2}" \times \frac{9}{16}"$	O-2428	$\frac{3}{4}" \times \frac{7}{8}"$

Std. Pkg. 6

Shipping Weight 11.6 lbs.




580B

SET 580B (8 pcs. in tool bag) OPEN END WRENCHES

No.	Size	No.	Size
O-810	$\frac{1}{4}" \times \frac{5}{16}"$	O-2024	$\frac{5}{8}" \times \frac{3}{4}"$
O-1214	$\frac{3}{8}" \times \frac{7}{16}"$	O-2526	$\frac{25}{32}" \times \frac{15}{16}"$
O-1618	$\frac{1}{2}" \times \frac{9}{16}"$	O-2428	$\frac{3}{4}" \times \frac{7}{8}"$
O-1922	$\frac{19}{32}" \times \frac{11}{16}"$	O-3032	$\frac{15}{16}" \times 1"$

Std. Pkg. 3

Shipping Weight 11 lbs.



510R

SET 510R (10 pcs. in tool roll) OPEN END WRENCHES

No.	Size	No.	Size
O-810	$\frac{1}{4}" \times \frac{5}{16}"$	O-1922	$\frac{19}{32}" \times \frac{11}{16}"$
O-1214	$\frac{3}{8}" \times \frac{7}{16}"$	O-2024	$\frac{5}{8}" \times \frac{3}{4}"$
O-1416	$\frac{7}{16}" \times \frac{1}{2}"$	O-2526	$\frac{25}{32}" \times \frac{15}{16}"$
O-1618	$\frac{1}{2}" \times \frac{9}{16}"$	O-2428	$\frac{3}{4}" \times \frac{7}{8}"$
O-1820	$\frac{9}{16}" \times \frac{5}{8}"$	O-3032	$\frac{15}{16}" \times 1"$

Std. Pkg. 1

Shipping Weight 4.2 lbs.

SET NO. 560R (6 pcs. in tool roll) Not shown OPEN END WRENCHES

No.	Size	No.	Size
O-1214	$\frac{3}{8}" \times \frac{7}{16}"$	O-2024	$\frac{5}{8}" \times \frac{3}{4}"$
O-1618	$\frac{1}{2}" \times \frac{9}{16}"$	O-2428	$\frac{3}{4}" \times \frac{7}{8}"$
O-1922	$\frac{19}{32}" \times \frac{11}{16}"$	O-3032	$\frac{15}{16}" \times 1"$

Std. Pkg. 1

Shipping Weight 3 lbs.



ALLOY OPEN END WRENCH SETS

SET T-14 (4 pcs. in tool bag)

CHECK NUT SET

No.	Size	No.	Size
T-1214	$\frac{3}{8}'' \times \frac{1}{4}''$	T-2022	$\frac{5}{8}'' \times \frac{11}{16}''$
T-1618	$\frac{1}{2}'' \times \frac{9}{16}''$	T-2428	$\frac{3}{4}'' \times \frac{7}{8}''$

Std. Pkg. 6

Shipping Weight 7 lbs.


SET T-22 (4 pcs. in tool bag) - NOT SHOWN

TAPPET WRENCH SET

No.	Size	No.	Size
T-1618	$\frac{1}{2}'' \times \frac{9}{16}''$	T-2022	$\frac{5}{8}'' \times \frac{11}{16}''$
T-1618	$\frac{1}{2}'' \times \frac{9}{16}''$	T-2022	$\frac{5}{8}'' \times \frac{11}{16}''$

Std. Pkg. 6

Shipping Weight 7 lbs.




T-14

COMPLETE WORKSHOP SET

SET 25W (25 pcs.)

This is a complete workshop set of 25 wrenches mounted with special hangers on a piece of tempered masonite perffboard finished in machine tool gray. Includes box, combination and open end wrenches in sizes ranging from $\frac{1}{4}''$ through $1\frac{1}{4}''$. It is ideal for the home owner's shop, garage, gas station, farm — wherever wrenches are used. The hangers, perffboard and mounting screws are packed in one illustrated carton with the wrenches.

No.	Size	No.	Size
Long Pattern Box Wrenches			
B-1214	$\frac{3}{8}'' \times \frac{7}{16}''$	B-2224	$1\frac{1}{16}'' \times \frac{8}{16}''$
B-1618	$\frac{1}{2}'' \times \frac{9}{16}''$	B-2628	$1\frac{3}{16}'' \times \frac{7}{8}''$
B-1820	$\frac{9}{16}'' \times \frac{5}{8}''$		
Combination Wrenches			
C-12	$\frac{3}{8}''$	C-26	$1\frac{3}{16}''$
C-14	$\frac{7}{16}''$	C-28	$\frac{7}{8}''$
C-16	$\frac{1}{2}''$	C-30	$1\frac{1}{16}''$
C-18	$\frac{9}{16}''$	C-32	$1''$
C-20	$\frac{5}{8}''$	C-34	$1\frac{1}{16}''$
C-22	$1\frac{1}{16}''$	C-36	$1\frac{1}{8}''$
C-24	$\frac{3}{4}''$	C-40	$1\frac{1}{4}''$
Open End Wrenches			
O-810	$\frac{1}{4}'' \times \frac{5}{16}''$	O-1922	$1\frac{9}{16}'' \times \frac{11}{16}''$
O-1214	$\frac{3}{8}'' \times \frac{7}{16}''$	O-2024	$\frac{5}{8}'' \times \frac{3}{4}''$
O-1618	$\frac{1}{2}'' \times \frac{9}{16}''$	O-2428	$\frac{3}{4}'' \times \frac{7}{8}''$



No. 25W Set (25 pcs.)
Std. Pkg. 1

Dimensions: 2' x 2'
Shipping Weight 21 lbs.



FORGED ALLOY WRENCHES

S-K/Lectrolite forged alloy wrenches are companions to the famous S-K/Lectrolite socket wrenches. These tools meet requirements of the most exacting master mechanics. Their unsurpassed quality and reasonable price afford the user the highest value in forged tools obtainable anywhere.

MB-SERIES 30° SHORT PATTERN BOX WRENCHES, 12 Pt.



Part Number	Size	Length	Std. Pkg.	Pkg. Weight
MB-1214	$\frac{3}{8}$ " x $\frac{7}{16}$ "	4 $\frac{3}{4}$ "	6	.7 lb.
MB-1618	$\frac{1}{2}$ " x $\frac{9}{16}$ "	5 $\frac{3}{8}$ "	6	1.0 lb.
MB-2022	$\frac{5}{8}$ " x $\frac{11}{16}$ "	6 $\frac{3}{8}$ "	6	1.4 lbs.

HB SERIES 30° LONG PATTERN BOX WRENCHES, 6 Pt.



Part Number	Size	Length	Std. Pkg.	Pkg. Weight
HB-1214	$\frac{3}{8}$ " x $\frac{7}{16}$ "	7 $\frac{3}{8}$ "	6	1.0 lb.
HB-1618	$\frac{1}{2}$ " x $\frac{9}{16}$ "	8 $\frac{3}{4}$ "	6	1.6 lbs.
HB-2024	$\frac{5}{8}$ " x $\frac{3}{4}$ "	10 $\frac{5}{8}$ "	6	3.0 lbs.

B-SERIES 30° LONG PATTERN BOX WRENCHES, 12 Pt.



Part Number	Size	Length	Std. Pkg.	Pkg. Weight
B-1214	$\frac{3}{8}$ " x $\frac{7}{16}$ "	7 $\frac{3}{8}$ "	6	1.0 lb.
B-1416	$\frac{7}{16}$ " x $\frac{1}{2}$ "	8"	6	1.5 lbs.
B-1618	$\frac{1}{2}$ " x $\frac{9}{16}$ "	8 $\frac{3}{4}$ "	6	1.6 lbs.
B-1820	$\frac{9}{16}$ " x $\frac{5}{8}$ "	9 $\frac{1}{8}$ "	6	2.3 lbs.

Part Number	Size	Length	Std. Pkg.	Pkg. Weight
B-2024	$\frac{5}{8}$ " x $\frac{3}{4}$ "	10 $\frac{5}{8}$ "	6	3.0 lbs.
B-2224	$\frac{11}{16}$ " x $\frac{3}{4}$ "	11 $\frac{3}{8}$ "	6	3.3 lbs.
B-2628	$\frac{13}{16}$ " x $\frac{7}{8}$ "	13"	6	4.5 lbs.
B-3032	$\frac{15}{16}$ " x 1"	15"	6	6.3 lbs.

C-SERIES COMBINATION WRENCHES, 12 Pt. Box



Part Number	Size	Length	Std. Pkg.	Pkg. Weight
C-12	$\frac{3}{8}$ "	4 $\frac{1}{4}$ "	6	.5 lb.
C-14	$\frac{7}{16}$ "	5 $\frac{1}{8}$ "	6	.7 lb.
C-16	$\frac{1}{2}$ "	5 $\frac{7}{8}$ "	6	1.0 lb.
C-18	$\frac{9}{16}$ "	6 $\frac{5}{8}$ "	6	1.4 lbs.
C-20	$\frac{5}{8}$ "	7 $\frac{1}{2}$ "	6	1.9 lbs.
C-22	$\frac{11}{16}$ "	8 $\frac{3}{8}$ "	6	2.3 lbs.
C-24	$\frac{3}{4}$ "	9 $\frac{1}{4}$ "	6	2.9 lbs.

Part Number	Size	Length	Std. Pkg.	Pkg. Weight
C-26	$\frac{13}{16}$ "	10 $\frac{3}{8}$ "	6	3.8 lbs.
C-28	$\frac{7}{8}$ "	11 $\frac{1}{8}$ "	6	4.5 lbs.
C-30	$\frac{15}{16}$ "	12 $\frac{1}{8}$ "	6	6.5 lbs.
C-32	1"	13 $\frac{3}{8}$ "	6	7.0 lbs.
C-34	$\frac{11}{16}$ "	14 $\frac{3}{4}$ "	3	5.2 lbs.
C-36	$\frac{1}{2}$ "	15 $\frac{3}{4}$ "	3	6.4 lbs.
C-40	$\frac{11}{16}$ "	17"	3	7.0 lbs.

O-SERIES OPEN END WRENCHES



Part Number	Size	Length	Std. Pkg.	Pkg. Weight
O-810	$\frac{1}{4}$ " x $\frac{5}{16}$ "	4 $\frac{1}{2}$ "	6	.5 lb.
O-1214	$\frac{3}{8}$ " x $\frac{7}{16}$ "	5"	6	.7 lb.
O-1416	$\frac{7}{16}$ " x $\frac{1}{2}$ "	5 $\frac{3}{8}$ "	6	.9 lb.
O-1618	$\frac{1}{2}$ " x $\frac{9}{16}$ "	6"	6	1.2 lbs.
O-1820	$\frac{9}{16}$ " x $\frac{5}{8}$ "	6 $\frac{1}{4}$ "	6	1.7 lbs.

Part Number	Size	Length	Std. Pkg.	Pkg. Weight
O-1922	$\frac{19}{32}$ " x $\frac{11}{16}$ "	6 $\frac{3}{4}$ "	6	2.0 lbs.
O-2024	$\frac{5}{8}$ " x $\frac{3}{4}$ "	8"	6	2.8 lbs.
O-2526	$\frac{25}{32}$ " x $\frac{13}{16}$ "	9"	6	3.5 lbs.
O-2428	$\frac{3}{4}$ " x $\frac{7}{8}$ "	9 $\frac{3}{4}$ "	6	4.3 lbs.
O-3032	$\frac{15}{16}$ " x 1"	10 $\frac{3}{4}$ "	6	6.5 lbs.


T-SERIES TAPPET WRENCHES



Part Number	Size	Length	Std. Pkg.	Pkg. Weight
T-1214	$\frac{3}{8}$ " x $\frac{7}{16}$ "	9 $\frac{3}{8}$ "	6	1.0 lb.
T-1618	$\frac{1}{2}$ " x $\frac{9}{16}$ "	9 $\frac{3}{8}$ "	6	1.5 lbs.

Part Number	Size	Length	Std. Pkg.	Pkg. Weight
T-2022	$\frac{5}{8}$ " x $\frac{11}{16}$ "	9 $\frac{3}{8}$ "	6	2.0 lbs.
T-2428	$\frac{3}{4}$ " x $\frac{7}{8}$ "	9 $\frac{3}{8}$ "	6	2.5 lbs.

ADJUSTABLE WRENCHES PLIERS • PIPE WRENCHES



**STILLSON PATTERN
PIPE WRENCH**

Forged From Alloy Steel

No.	Length	Std. Pkg.	Std. Pkg. Weight
6-SP	6"	6	2.2 lbs.
8-SP	8"	6	4.0 lbs.
10-SP	10"	6	8.0 lbs.
14-SP	14"	6	15.0 lbs.
18-SP	18"	6	25.4 lbs.
24-SP	24"	6	45.0 lbs.



ADJUSTABLE WRENCHES

Forged From Alloy Steel. Polished, Nickel Chrome Plated.

No.	Length	Std. Pkg.	Std. Pkg. Weight
4AW	4"	1	.2 lb.
6AW	6"	1	.4 lb.
8AW	8"	1	.6 lb.
10AW	10"	1	1.0 lb.
12AW	12"	1	1.6 lbs.
16AW	16"	1	3.8 lbs.

Forged From Alloy Steel. Black Oxide Finish.

No.	Length	Std. Pkg.	Std. Pkg. Weight
4AWB	4"	6	.6 lb.
6AWB	6"	6	1.6 lbs.
8AWB	8"	6	3.2 lbs.
10AWB	10"	6	5.3 lbs.
12AWB	12"	3	5.1 lbs.
16AWB	16"	3	11.3 lbs.

REPLACEMENT PARTS FOR ADJUSTABLE WRENCHES.
When ordering state part name and wrench size. On jaws, also specify Chrome or Black.

Part	Length of Adjustable for Which Needed					
Jaw (Chrome)	4"	6"	8"	10"	12"	16"
Jaw (Black)	4"	6"	8"	10"	12"	16"
Knurl	4"	6"	8"	10"	12"	16"
Pin and Spring	4"	6"	8"	10"	12"	16"




COMBINATION PLIERS

No.	Length	Std. Pkg.	Std. Pkg. Weight
205	5"	3	1.0 lb.
206	6"	3	1.4 lbs.
208	8"	3	2.1 lbs.
210	10"	3	2.5 lbs.
5-N	5"	12	3.5 lbs.
6-N	6"	12	5.4 lbs.
8-N	8"	12	8.4 lbs.
10-N	10"	12	10.5 lbs.

200 series chrome plated, polished faces. N series is the same quality, chrome plated and satin finished.


STRAIGHT THIN NOSE COMBINATION PLIERS



No.	Length	Std. Pkg.	Std. Pkg. Weight
265	6"	3	1.2 lbs.
6-TN	6"	12	5.2 lbs.

No. 265 has polished chrome face — No. 6-TN has chrome satin finish.


GROOVE JOINT PLIERS



No.	Length	Std. Pkg.	Std. Pkg. Weight
110	10"	3	2.5 lbs.
105	10"	3	2.5 lbs.


The 110 is fully polished with nickel and chrome plating; the 105 has ground faces, black oxide finish.

STANDARD WATER PUMP PLIER



No.	Length	Std. Pkg.	Std. Pkg. Weight
10-WPC	10"	12	8.2 lbs.

Chrome plated with polished nose.



HOSE CLAMP PLIER

No.	Length	Std. Pkg.	Std. Pkg. Weight
208-H	8"	3	2.0 lbs.


Chrome plated, polished faces. Two-position adjustment accommodates all size clamps.




AUTOMOTIVE TOOLS • CARBON WRENCH SETS




720




20-T



500



845-C



P-45

FORGED TYPE RIM WRENCHES

CHROME PLATED

Forged, heat treated — professional type — guaranteed unbreakable in service. Chrome plated finish, polished sockets.

Part No.	Length	Socket Size	Std. Pkg.	Std. Pkg. Weight
710	16 1/2"	3/4" x 3/4" x 13/16" x 7/8"	25	72 lbs.
720	22"	3/4" x 13/16" x 7/8" x 15/16"	10	45 lbs.

STANDARD RIM WRENCHES

Famous for dependability in garages and service shops throughout the world. Upset forged from fine grain steel. Bright finish.

Part No.	Length	Socket Size	Std. Pkg.	Std. Pkg. Weight
9000	14"	1 1/16" x 3/4" x 13/16" x 19mm	25	50 lbs.
9100	14 1/2"	3/4" x 3/4" x 13/16" x 1 1/8"	25	62 lbs.
9400	16 1/2"	3/4" x 3/4" x 13/16" x 1 1/8"	25	70 lbs.
9500	20"	3/4" x 3/4" x 13/16" x 1 1/8"	25	83 lbs.
9600	16"	1 1/16" x 3/4" x 13/16" x 19mm	25	55 lbs.

20-T QUALITY TIRE IRON

Professional quality with one straight end and one spoon end. Heat treated, forged from 5/8" stock. Carefully tempered, polished and nickel chrome plated.

Part No.	Length	Std. Pkg.	Std. Pkg. Weight
20-T	20"	20	33 lbs.

88-S TIRE IRON

This economy tire iron is forged from 3/16" stock, single spoon end pattern, heat treated, bright finish.

Part No.	Length	Std. Pkg.	Std. Pkg. Weight
88-S	18"	50	62 lbs.

FORD VALVE LIFTING TOOL

Heavy heat treated forging. The 20" length assures ample leverage to loosen valve guides. Jaws are shaped to fit valve and valve guides on the Ford V-8 and Mercury.

Part No.	Length	Std. Pkg.	Std. Pkg. Weight
500	20"	20	29 lbs.

COMBINATION WRENCH SETS No. 800 SERIES — Satin Finish

Wrenches in the 800 Series are drop-forged from fine grain controlled steel. Each tool is individually tempered, nickel and chrome plated. These wrench sets give the tool user top quality at popular prices. Available in sets only.

Part No.	Description	Size Range	Std. Pkg. Weight
845-C	5-Pc. Set	3/8" to 5/8"	2.4 lbs.
850-C	5-Pc. Set	1/16" to 1 1/16"	3.0 lbs.
855-C	5-Pc. Set	1/16" to 3/4"	3.2 lbs.
860-C	6-Pc. Set	3/8" to 3/4"	3.5 lbs.
866-C	6-Pc. Set	1/16" to 3/4"	4.0 lbs.

Packed 3 to a carton.

15° OPEN END WRENCH SETS

P SERIES — Satin Finish

Demand for these nickel-chrome plated open end wrenches is never ending. Drop-forged from fine grain controlled steel. Openings are carefully machined to uniform dimensions and each tool carefully tempered. Available in sets only.

Part No.	Description	Size Range	Std. Pkg. Weight
P-45	5-Pc. Set	5/16" to 3/4"	2.8 lbs.
P-46	6-Pc. Set	5/16" to 7/8"	4.1 lbs.
P-55	5-Pc. Set	3/8" to 1 1/8"	4.0 lbs.
P-66	6-Pc. Set	3/8" to 1"	5.6 lbs.
P-68	6-Pc. Set	1/2" to 1 1/8"	8.0 lbs.

Packed 3 to a carton.

CARBON WRENCH SETS



15° OPEN END WRENCH SETS

No. 4000 SERIES — POLISHED, Nickel Chrome Plated

Drop-forged from fine grain controlled steel. These popular sets are similar to the "P" Series except the heads are polished to a very high luster. Nickel-chrome plated for full protection. Available in sets only.

Part No.	Description	Size Range	Std. Pkg. Weight
4500-C	5-Pc. Set	$\frac{5}{16}$ " to $\frac{3}{4}$ "	2.8 lbs.
4600-C	6-Pc. Set	$\frac{5}{16}$ " to $\frac{7}{8}$ "	4.1 lbs.
4750-C	6-Pc. Set	$\frac{1}{2}$ " to $1\frac{1}{8}$ "	7.8 lbs.
45-MS (METRIC)	5-Pc. Set	8mm to 17mm	2.1 lbs.

Packed 3 to a carton.



4600-C


10° BOX WRENCH SETS (SHORT PATTERN)

No. 2000 SERIES — POLISHED HEADS

Wrenches are offset 10°, are nickel-chrome plated and have polished heads. Available in sets only.

Part No.	Description	Size Range	Std. Pkg. Weight
2300-C	3-Pc. Set	$\frac{3}{8}$ " to $1\frac{1}{16}$ "	1.4 lbs.
2400-C	4-Pc. Set	$\frac{3}{8}$ " to $1\frac{3}{16}$ "	2.1 lbs.

Packed 3 to a carton.



2400-C


45° BOX WRENCH SETS (LONG PATTERN)

No. 3100 SERIES — POLISHED HEADS

Drop forged from fine grain controlled steel, expertly hardened and nickel-chrome plated. Sturdy "hand size" handles for positive grip. Precision broached. Available in sets only.

Part No.	Description	Size Range	Std. Pkg. Weight
3140-C	4-Pc. Set	$\frac{3}{8}$ " to $2\frac{5}{16}$ "	3.7 lbs.
3150-C	5-Pc. Set	$\frac{3}{8}$ " to $2\frac{7}{16}$ "	6.0 lbs.
3160-C	6-Pc. Set	$\frac{3}{8}$ " to $1\frac{1}{2}$ "	8.7 lbs.
3170-C	7-Pc. Set	$\frac{3}{8}$ " to $1\frac{1}{8}$ "	13.0 lbs.

Packed 3 to a carton.



3150-C


45° BOX WRENCH SETS (SHORT PATTERN)

No. 5000 SERIES — POLISHED HEADS

Drop Forged from fine grain controlled steel, expertly hardened and nickel chrome plated. Available in sets only.

Part No.	Description	Size Range	Std. Pkg. Weight
5300-C	3-Pc. Set	$\frac{3}{8}$ " to $1\frac{1}{16}$ "	3.5 lbs.
5400-C	4-Pc. Set	$\frac{3}{8}$ " to $2\frac{3}{16}$ "	5.8 lbs.

Packed 6 to a carton.



5400-C

S·K


RATCHETS

EFFICIENT OPERATION


S-K Ratchets are positive, close-acting — an invaluable asset in tight work areas. Pressure on the handle forces the pawl, or dog, outward against the assembly housing to assure positive action. Three teeth of the pawl are engaged at all times while ratchet is in use.

S-K Ratchets operate in an arc of from 5.1° to 9° , depending on drive size, and have very little or no back movement. (See Fig. A.)

Conventional ratchets are designed on the principle of a shearing action. Because of tendency to break or shear off, teeth on the drive gear must be large, limiting the number of teeth and positions. Shear type ratchets generally operate in from 10° to 20° , and have a 5° to 10° back movement, decreasing efficiency. (See Fig. B.)



S/K Ratchet
Close-Acting
Triple-tooth contact
Figure A



Conventional Ratchet
Wide-Acting
Coarse Drive Gear
Figure B

SIMPLIFIED MAINTENANCE


To increase the life of S-K Ratchets, it is advisable to periodically remove the operating mechanism, following simple steps illustrated below, and wash out accumulated grease and grit in a cleaning solvent. No lubrication is needed to assure proper performance.



TO REMOVE MECHANISM, place ratchet in neutral position.



TO REPLACE MECHANISM, set it in neutral position.




Compress snap ring with screwdriver, thin or bent-nose plier.



Insert unit in handle, holding cap in place. Put snap ring in position.




With snap ring compressed, strike back of ratchet on solid surface.



Compress snap ring with thin or bent-nose plier and seat unit in handle.



Heart
of the
S-K Ratchet



RATCHET RENEWALS

If upon inspection the operating mechanism is found to be worn out, Ratchet Renewals are available from your tool source. On-the-spot purchase and installation of a renewal unit eliminates the necessity of the mechanic being without his ratchet while it is being serviced. (See page 9.)

S·K

CHICAGO 32,
ILLINOIS

Lectrolite

DEFIANCE,
OHIO